



LP-11

QUICK ADJUST SYNCHRO

Leggett & Platt
WORK FURNITURE

LP-11 | QUICK ADJUST SYNCHRO



1. Back lock
2. Seat height adjustment
3. Tension adjustment

FEATURES

- Synchro mechanism with 1-turn quick adjust tension
- 2:1 back-to-seat ratio
- 5 tilt lock positions with anti-kickback
- 23° backrest recline angle
- 11° seat recline angle
- Wide tension range comfortably supports users weighing 50 to 120 kg (110 to 265 lb)
- Cable or handle activation
- Can ship with knocked-down quick attach levers and cover
- Bolt on seat depth adjustment eliminates need for two separate mechanism models
- Seat height adjustment

OPTIONS

- 6-position seat slider kit with 72 mm (2.8 in) of travel; ability to limit to 50 mm (2.0 in)
- Integrated forward seating device (negative tilt) 3° of seat support angle and 6° of back angle with 3 back lock positions
- Compatible with LP-50 Quick Attach back system
- Side rails for LP-52 structural seat mounting
- Cable control integration including side rails and seat slider kit
- Shipping with or without handles and covers attached

CUSTOMIZATIONS

- Bespoke back option for integrated back attachment
- Custom-designed handles and colors
- Custom-designed covers and colors
- Custom-designed cable controls



CUSTOMIZATION




- The LP-11 design allows clients to differentiate their products through custom handles and covers, supporting a variety of aesthetics from one mechanism platform
- The LP-11 mechanism can be supplied with detached levers and housing cover to provide maximum packaging density and to minimize inventory
- The handles and cover are easily assembled using a quick coupling system

SEAT DEPTH ADJUSTMENT



- Optional seat slider kit provides 72 mm (2.8 in) seat depth adjustment with the possibility to limit the ride to 50 mm (2.0 in)
- 6 positions of adjustment
- Activation made by integrated lever
- 10 mm (0.39 in) in height


FORWARD SEATING (Negative Tilt)



- An integrated 3-position locking knob allows the user to select "forward working position" at -3° for seat and -6° for back or the normal 0° at rest position
- Forward seating with -5° for the seat and -6° for the seat is also available


BESPOKE BACK ATTACHMENT

- LP-11's ability to integrate with a customer's custom back upright ensures visual continuity between the mechanism and the back design



LP-11 | QUICK ADJUST SYNCHRO

TECHNICAL DATA SHEET



PACKAGING

LP-11 J-BAR and FSD

Pieces per palletized carton: 108
Weight per piece: 4.14 kg (9.1 lb)
Approx. palletized carton weight: 491 kg (1082.5 lb)
Dimensions: 122 cm (48 in) x 106 cm (41.7 in)
x 110 cm (43.3 in) H

LP-11 J-BAR BACK ATTACHMENT, SSM and SSM+FSD

Pieces per palletized carton: 97
Weight per piece: 5.46 kg (12 lb)
Approx. palletized carton weight: 570 kg (1256.6 lb)
Dimensions: 122 cm (48 in) x 106 cm (41.7 in) x 110 cm (43.3 in) H

LP-11 BESPOKE BACK ATTACHMENT and FSD

Pieces per palletized carton: 138
Weight per piece: 4.14 kg (9.1 lb)
Approx. palletized carton weight: 615 kg (1355.8 lb)
Dimensions: 122 cm (48 in) x 106 cm (41.7 in)
x 110 cm (43.3 in) H

LP-11 BESPOKE SSM and SSM+FSD

Pieces per palletized carton: 110
Weight per piece: 5.48 kg (12.1 lb)
Approx. palletized carton weight: 643 kg (1417.57 lb)
Dimensions: 122 cm (48 in) x 106 cm (41.7 in)
x 110 cm (43.3 in) H

L&P WF reserves the right to make modifications, at any moment, without prior notification, to the technical characteristics of standard models.